



avaflor.com

- 2STYL
- SMPL
- SNSE
- RSRV
- VRSE
- FAVE
- 2FAVE
- 2DSGN
- REVV
- VEXX
- STRM
- 2SPRK
- MRGE
- RYME
- 2TRZO
- ORBT
- RYSE
- SWAY

AVA®



NEW

SWAY™

NEW Chevron and Herringbone styles



Acacia Oak Primrose

Alabaster Oak Sierra

Alabaster Oak Villa

English Oak Toffee

English Oak Veil

Vienna Oak Manor

See pages 20-23 for more details.

2STYL.
SMPL.
SNSE.
RSRV.
VRSE.
FAVE.
2FAVE.
2DSGN.
REVV.
VEXX.
STRM.
2SPRK.
MRGE.
RYME.
2TRZO.
ORBT.
RYSE.
SWAY.

AVA is an industry leader in designing and manufacturing sustainable and innovative Luxury Vinyl Tile (LVT). With over 30 years of experience, AVA continues to develop designs and products that set the global benchmark in LVT quality and performance.



Established in 1984, AVA has grown worldwide with sales offices and distribution partners in North America, Europe, Asia Pacific, and Africa. It continues to be a private, family-owned company.

Inspiration

An international specialist in luxury vinyl flooring for more than 30 years, AVA designs flooring with style, quality and innovation in mind. Our team of talented designers takes cues from nature, architectural trends, high-fashion textiles and runways around the world to bring customers the most beautiful, versatile flooring in the industry.

Innovation

Thanks to a history filled with revolutionary product innovation, our flooring is now sold in over 50 countries across six continents in a variety of award-winning commercial spaces and homes. We continue to take pride in our ability to utilize cutting-edge technologies to deliver world-class products to our customers around the globe.

Responsibility

As an industry leader, we take seriously our commitment to keeping people healthy and the earth habitable. Long before sustainability was a key focus in our industry, our founder, Dr. Z.L. Wu, sought to create a durable, versatile flooring option and began the research and development of sustainable luxury vinyl tile. Today, environmental responsibility remains a cornerstone of our business.

SUSTAINABILITY

Environmental Responsibility

To bolster our product sustainability efforts, AVA is analyzing our production processes and operations to improve our energy efficiency and water consumption, reduce our impact on the environment and minimize our usage of finite resources.

To accomplish this, we are monitoring and reporting our resource consumption and emissions, in order to establish reduction targets and long-term sustainability goals. This will enable us to seize more sustainable opportunities and implement potential counter-measures, should we notice any discrepancies.

Additionally, sustainable product design is becoming one of our guiding principles. AVA is committed to phasing-out potentially harmful and non-recyclable raw materials and products in favor of safer, rapidly renewable, recycled and/or recyclable raw materials.



See the full Sustainability Report at avaflor.com

Novalis prides itself on achieving a wide variety of third-party product certifications, which independently confirm our commitment to product safety, quality assurance, transparency and environmental responsibility.



Circularity

The health and safety of our customers and end-users is at the heart of what we do. That's why we rigorously screen our raw materials and independently test our products to qualify for even the most stringent certifications.



While reducing resource consumption is important, that alone will not stem the current climate crisis – that's why organizations around the world are researching ways to transition from a linear take-make-waste economy to a sustainable circular economy. Not only will this help tackle critical environmental issues, it will also prevent the depletion of finite, non-renewable resources, limit the hazards of waste accumulation and keep the earth habitable for future generations.

Product Safety and Transparency

Human health and safety is an inseparable part of sustainability – it is what largely started the worldwide movement of designing products that are safer for humans and the environment. AVA products are tested in accordance with the most stringent VOC emissions testing and certification guidelines in the world.

We are committed to product transparency and helping our customers make informed product decisions. That's why we publicly disclose our ingredients in accordance with the most stringent transparency guidelines.

By the end of 2023, the back of all AVA products will be imprinted with a QR code that will lead directly to a unique Digital Product Passport. These passports will help end users and members of the architecture, engineering, and construction community quickly locate VOC emissions certifications, transparency documentation and other important product information. Additionally, these passports will accelerate our transition to a circular economy by including information on maintaining, repairing, re-using and recycling AVA products. By permanently linking the physical product to updated digital information, passports will increase the amount of product that is re-used and recycled, reduce the amount of waste sent to landfills and decrease the amount of raw materials used for manufacturing.



AVA RYME - CN Loose

AVA by Novalis



Featuring 16 popular colors to complement other plants in contemporary and rustic classic oak floor. Quick and easy to install with less prep. RYME comes in LVT, RYME+ stocked in wood colors only and an OPE backing on RYME+ delivers natural accent with our patented AMP Advantage Finish that provides style and durability are ideal for Corporate office.

RYME's Alpine and Tuscan collections feature emerald green and blue tones. Peninsula and Beton collections are straight-edge.

"Embossed in register" (ER) is a manufacturing process that aligns the embossed texture with the wood grain. This process aligns the embossed texture with the wood grain, which intensifies the visual impact of the depth, texture of maintenance.

As with most collections of AVA LVT, RYME is phos-free, EPD, HPD and Declares labels.

Category: Vinyl Tile

Last updated on 3/1/2023

The screenshot shows a digital product passport interface. It includes sections for: **Ingredients** (Threshold Level: 100 ppm), **Compliance** (listing various regulatory lists like Cal Prop 65, EU REACH SVHC, etc.), **Lifecycle Impacts** (Embodied Carbon, Water Use), **Transparency**, **Assessment, Commitment, & Optimizations**, and **Circularity** (Packaging information). The AVAflor.com logo is visible in the bottom right corner of the screenshot.

MARKETS



2DSGN

Markets/Applications



MRGE



STRM



HEALTHCARE

Main Lobby / Entryways
 Waiting Rooms
 Patient Rooms
 Corridors
 Outpatient Departments
 X-Ray Rooms and
 Computer Tomography
 Laboratories
 Administration
 Elevators

Restrooms
 Physical Therapy
 Senior Living Rooms
 Senior Living Corridors
 Senior Living Multipurpose
 Rooms
 Senior Living Dining Areas
 Senior Living Therapy &
 Workout Rooms
 Mental Health Facilities

CORPORATE / GOVERNMENT

Offices
 Meeting Rooms
 Museums

Airports
 Server Rooms
 Restrooms

EDUCATION

Classrooms
 Auditoriums
 Corridors
 Libraries
 Computer Rooms
 Kindergarten/Nursery/
 Daycare
 Multipurpose Room
 Laboratories

Main Corridors
 Cafeterias
 Elevators
 General Use Restrooms
 Student Housing/Dorms
 Half Bathroom
 Full Bathroom (Shower/
 Bath)

RETAIL

Shops
 Restaurants
 Pharmacies
 Banks

Grocery
 Salons
 Restrooms
 Wet Areas

HOSPITALITY

Main Lobby
 Floor/Elevator Lobby
 Dining Room
 Guest Rooms

Half Bathroom
 Full Bathroom
 (Shower/Bath)
 Gym/Workout Area

RESIDENTIAL

Multi-Family

Single Family



2SPRK

PRODUCTS

LVT Flooring: Glue Down / Loose Lay / HDC Clic / HPC Clic / Sheet

Glue Down

2TRZO

Colors: 9
Tile: 36" x 36"



Page 12

STRM

Colors: 13
Tile: 9.84" x 39.37"



Page 13

ORBT

Colors: 12
Tile: 24" x 24"
Plank: 6" x 48"



Page 14

2SPRK

Colors: 38
Tile: 18" x 18"



Page 15

2DSGN

Colors: 22
Plank: 6" x 48"



Page 16

2STYL

Colors: 10
Plank: 6" x 48"



Page 17

SNSE

Colors: 16
Tile: 12" x 24"



Page 19

MIRGE

Colors: 18
Tile: 9.84" x 39.37"



Page 18

RYSE

Colors: 10
Plank: 6" x 48"



Page 23

SWAY

Colors: 6
Chevron: 4.5" x 22.5"
Herringbone: 6" x 24"



Page 20

REVV SHEET

Colors: 13
Sheet: 6.56' x 65.6'



Page 24

VEXX SHEET

Colors: 19
Sheet: 6.56' x 65.6'



Page 25

HDC Clic

FAVE

Colors: 10
Plank: 5.75" x 47.75"



Page 28

2FAVE


Colors: 10
Plank: 5.75" x 47.75"



Page 29

RSRV

Colors: 22
Plank Sizes: Various



Kyoto 9.25" x 71.45" Washed 6.6" x 59.75" Komma 6.6" x 59.75" Béton 18" x 36" (nominal)

Page 30

SWAY

Colors: 6
Chevron: 5.71" x 26.2"
Herringbone: 5.71" x 29.25"




Page 20

HPC Clic

SMPL

Colors: 16
Plank: 6" x 48"



Page 31

Loose Lay

STRM

Colors: 13
Tile: 9.84" x 39.37"



Page 13

RYME


Colors: 16
Beton Tile: 39.37" x 39.37"
Plank: 9" x 48"



Page 27

VRSE

Colors: 15
Tile: 9.84" x 39.37"




Page 26

PRODUCTS

AVA Flooring Features


Glue Down

2TRZO **2STYL**
STRM **SNSE**
ORBT **MRGE**
2SPRK **RYSE**
2DSGN **SWAY**




Glue-Down Sheet

REVV
VEXX




Loose Lay

STRM
RYME
VRSE



HDC Clic


Foam underlayment for sound barrier and comfort
 Rigid waterproof HDC resists dents and hides most subfloor imperfections
 Printed layer directly laminated to the HDC
 Transparent vinyl wear layer that's extremely durable
 AMP PU coating for added scratch, stain, scuff, abrasion and fade resistance



Clic locking system for an easy, strong and secure installation

AVA
 High Density Core (HDC) Clic

Cork underlayment for sound barrier and comfort
 Rigid waterproof HDC resists dents and hides most subfloor imperfections
 Printed layer directly laminated to the HDC
 Transparent vinyl wear layer that's extremely durable
 AMP PU coating for added scratch, stain, scuff, abrasion and fade resistance



Clic locking system for an easy, strong and secure installation


AVA
 High Density Core (HDC) Clic

FAVE 2FAVE RSRV

SWAY

HPC Clic

Cork underlayment for sound barrier and comfort
 Rigid waterproof HPC hides most subfloor imperfections
 Vinyl backing layer with high resistance to pressure
 Printed layer to recreate the look and texture of natural materials
 Transparent vinyl wear layer that's extremely durable
 AMP PU coating for added scratch, stain, scuff, abrasion and fade resistance



Clic locking system for an easy, strong and secure installation

AVA
 Rigid LVT with High Performance Core (HPC) Technology and Cork Underlayment

SMPL

30% more scratch resistance over typical coatings



- Patented coating with a low-gloss finish
- Exceptional strength and resistance to wear
- Flexible, resists fading and non-brittle
- No "white scratches" like other coatings that scratch or break
- Safe for the environment: an organic agent, no VOCs, no metal content
- Exceeds Tungsten & Aluminum Oxide in hardness



1 Protection against dropped items and gouges



2 Increased resistance to scratches, stains, scuffs, abrasions and fading



3 Less maintenance, no waxing = easy to clean


EASY TO CLEAN & MAINTAIN
 No wax / No Buff
 Low-gloss finish



4 No "white scratches" like other coatings that break

AVA® 2TRZO®



Samples available at [material bank](#) 

Specifications

- Glue Down LVT
- Wear Layer: 22 mil (0.55 mm)
- Overall Thickness: 2.5 mm
- Size: 36" x 36" (914 mm x 914 mm)
- 100% Phthalate Free
- Reach Compliant
- Warranty: Lifetime Residential, 20-Year Heavy Commercial


AVA® 2TRZO® LVT features a full line of unique terrazzo/stone visuals in a range of neutral tones with light and dark accent chips for versatile, distinctive design options and a variety of applications for Education, Corporate, Retail, Hospitality and other high-traffic commercial environments.




TER012




TER002



TER014



TER004



TER015




TER006



TER016




TER009



TER017

AVA[®] STRM[®]



Samples available at **material bank** 


Glue Down

- Wear Layer: 22 mil (0.55mm)
- Overall Thickness: 2.5 mm
- Size: 9.84" x 39.37" (250mm x 1000mm)
- 100% Phthalate Free
- Reach Compliant
- Warranty: 20-Year Commercial and Lifetime Residential

Loose Lay

- Wear Layer: 22 mil (0.55mm)
- Overall Thickness: 5.0 mm
- Size: 9.84" x 39.37" (250mm x 1000mm)
- 100% Phthalate Free
- Reach Compliant
- Warranty: 20-Year Commercial and Lifetime Residential

Blending the performance and durability of hard surface with the soft and warm visuals of carpet tile, AVA[®] STRM[®] brings unique design options for any commercial setting, including Hospitality, Retail and Public Spaces.



AVA[®] ORBT[®]




Samples available at [material bank](https://www.materialbank.com)

Specifications

- Glue Down LVT
- Wear Layer: 22 mil (0.55 mm)
- Overall Thickness: 2.5 mm
- Size, Planks: 6" x 48" (152 mm x 1219 mm)
- Size, Tiles: 24" x 24" (609 mm x 609 mm)
- Straight Edge
- 100% Phthalate Free
- Warranty: 20-Year Commercial & Lifetime Residential

With 12 vibrant colors and a distinctive sparkle, AVA[®] ORBT[®] creates fun spaces with reflective speckles that produce a spectrum of color relative to lighting and viewing angle. ORBT[®] transforms Education, Retail, Hospitality and other commercial spaces into magical, energetic environments that intrigue the imagination.



Black Knight OR001 / Planks: OR001-648



Crushed Ice OR002 / Planks: OR002-648



Lemon Twist OR003 / Planks: OR003-648



Spicy Sangria OR004 / Planks: OR004-648



Mariner Blue OR005 / Planks: OR005-648



Lucky Shamrock OR006 / Planks: OR006-648



Star Dust OR007 / Planks: OR007-648



Stormy Seas OR008 / Planks: OR008-648



Very Berry OR009 / Planks: OR009-648



Purple Bliss OR010 / Planks: OR010-648



Knockout Orange OR011 / Planks: OR011-648



Blue Tide OR012 / Planks: OR012-648

AVA® 2SPRK®



Samples available at [materialbank](https://www.materialbank.com)

Specifications


- Size: 18" x 18" (457 mm x 457 mm)
- Wear Layer: 22 mil (0.55 mm)
- Overall Thickness: 2.5 mm
- 100% Phthalate Free
- Warranty: Lifetime Residential, 20-Year Heavy Commercial

Featuring 18 updated colors for a total of 38 dynamic colorways, AVA® 2SPRK® delivers one of the largest palettes of impactful design options in the LVT product category. 2SPRK® has crisp on-trend essential colors and a blend of coordinating neutral tones perfect for Education, Retail, Corporate, Hospitality and Healthcare installations.



AVA[®] 2DSGN[®]




Samples available at **material bank** 

Specifications


- Wear Layer: 22 mil (0.55 mm)
- Overall Thickness: 2.5 mm
- Size: 6" x 48" (152 mm x 1219 mm)
- 100% Phthalate Free
- Reach Compliant
- Warranty: 20-Year Heavy Commercial & Lifetime Residential

Meticulously designed to look like hardwoods and built to endure heavy traffic, 2DSGN[®] glue down planks offer soft wood grains and contemporary styles with a balanced palette of 22 colors. The Alpine and Tuscany collections feature registered embossed finishes with microbevel edges while the Peninsula and Weathered collections are straight-edge planks. Suitable for high-traffic Retail, Healthcare, Education and Corporate environments, as well as Multi-Family settings.



AVA[®] 2STYL[®]



Samples available at [material bank](https://www.materialbank.com) 

Specifications

- Wear Layer: 8 mil (0.2 mm)
- Overall Thickness: 2.0 mm
- Size: 6" x 48"
- 100% Phthalate Free
- Reach Compliant
- Warranty: 15-Year Residential

2STYL[®] brings the popular 6" x 48" plank size along with new patterns and colors in standard glue down.



MEMBER OF
SCS Global Services



Baltic Oak Suede

Glue Down: BO2003



Baltic Oak Taupe

Glue Down: BO2002



Baltic Oak Hazel

Glue Down: BO2006



Baltic Oak Corduroy

Glue Down: BO2005




Baltic Oak Tin

Glue Down: BO2004




Sawn Oak Smoke

Glue Down: SA2003



Claro Walnut Thunder

Glue Down: CW2002




Sawn Oak Grey

Glue Down: SA2002



Claro Walnut Shadow

Glue Down: CW2001



European Walnut Chocolate

Glue Down: EW2001

AVA MRGE




Samples available at **material bank**


Specifications

- Wear Layer: 22 mil (0.55 mm)
- Overall Thickness: 2.5 mm
- Size, Organics / Distressed Concrete: 9.84" x 39.37" (250 mm x 1000 mm)
- Size, Béton: 39.37" x 39.37" (1000 mm x 1000 mm)
- Straight Edge
- 100% Phthalate Free
- Reach Compliant
- Warranty: 20-Year Heavy Commercial & Lifetime Residential Warranty

The AVA® MRGE® collection features four distressed concrete colorways and four modern concrete colorways, plus 10 delicately blended organic styles in earth tone colorways for a total of 18 styles. MRGE®'s 2.5 mm 22 mil wear layer construction makes MRGE® suitable for most any high-traffic commercial application, including Hospitality, Corporate and Retail.



AVA[®] SNSE[®]

Samples available at **material bank** 

Specifications

- Glue Down
- Wear Layer: 20 mil (0.5 mm)
- Size: 12" x 24"
- 100% Phthalate Free
- Reach Compliant
- Warranty: 15-Year Heavy Commercial & Lifetime Residential



AVA[®] SNSE[®] is a 16 color palette collection with 8 bold colors for those projects that demand colorful themes throughout or just accent colors and 8 neutral colors for the designer who loves the look and design of SNSE[®] and requires a neutral palette for their project. AVA[®] SNSE[®] is available in 12" x 24" tiles, requires no waxing and is suitable for the toughest environments like Education and Healthcare.

AVA **SWAY**TM

Chevron



Glue Down

- Wear Layer: 22 mil (0.55 mm)
- Overall Thickness: 2.5 mm
- **Chevron:** 4.5" x 22.5" Precut Ends at 60°
- **Herringbone:** 6" x 24"
- 100% Phthalate Free
- Reach Compliant
- Warranty: Lifetime Residential & 20-Year Heavy Commercial


HDC Clic

- Wear Layer: 22 mil (0.55 mm)
- Overall Thickness: 6.0 mm
- **Chevron:** 5.71" x 26.2" Precut Ends at 60°
- **Herringbone:** 5.71" x 29.25"
- 100% Phthalate Free
- 1.0 mm Cork Underlayment
- Reach Compliant
- Warranty: Lifetime Residential & 15-Year Light Commercial


Pre-cut 60° angle

Chevron

Chevron Glue Down




Chevron HDC Clic



With impressive patterns and efficient installation, AVA SWAYTM Chevron and Herringbone planks bring timeless elegance and style without the hassles. Pre-cut specifically for less material waste, easier installation and precise fit, SWAYTM is available in six colors in both formats: 2.5 mm glue-down construction and 6.0 mm HDC clic. SWAYTM, with our proprietary AMP coating, stands up to high traffic areas in a variety of Residential and Commercial applications.

Herringbone




Pre-cut 90° angle


Samples available at [material bank](https://materialbank.com)

Herringbone

Herringbone Glue Down



Herringbone HDC Clic



Acacia Oak Primrose Chevron Glue Down: AC001CHEV-2555
Chevron HDC: AC001SCHEV-655C
Herringbone Glue Down: AC001HERR-2555
Herringbone HDC: AC001SHERR-655C



Alabaster Oak Villa Chevron Glue Down: AB002CHEV-2555
Chevron HDC: AB002SCHEV-655C
Herringbone Glue Down: AB002HERR-2555
Herringbone HDC: AB002SHERR-655C



English Oak Veil Chevron Glue Down: EO002CHEV-2555
Chevron HDC: EO002SCHEV-655C
Herringbone Glue Down: EO002HERR-2555
Herringbone HDC: EO002SHERR-655C



Alabaster Oak Sierra Chevron Glue Down: AB001CHEV-2555
Chevron HDC: AB001SCHEV-655C
Herringbone Glue Down: AB001HERR-2555
Herringbone HDC: AB001SHERR-655C



English Oak Toffee Chevron Glue Down: EO001CHEV-2555
Chevron HDC: EO001SCHEV-655C
Herringbone Glue Down: EO001HERR-2555
Herringbone HDC: EO001SHERR-655C



Vienna Oak Manor Chevron Glue Down: VO001CHEV-2555
Chevron HDC: VO001SCHEV-655C
Herringbone Glue Down: VO001HERR-2555
Herringbone HDC: VO001SHERR-655C

compare **SWAY** styles

Chevron



Chevron, Alabaster Oak Sierra

Herringbone



Herringbone, Alabaster Oak Sierra



Chevron, English Oak Veil



Herringbone, English Oak Veil




Chevron, Alabaster Oak Villa



Herringbone, Alabaster Oak Villa

AVA[®] RYSE[™]



Samples available at **material bank** 


Specifications

- HDC Rigid Core Glue Down
- Thickness/Wear Layer:
2.0 mm 12 mil (0.30 mm)
2.5 mm 22 mil (0.55 mm)
- Size: 6" x 48" (152 mm x 1219 mm)
- 100% Phthalate Free
- Reach Compliant
- Warranty: 20-Year Heavy Commercial (22 mil),
10-Year Heavy Commercial (12 mil) &
Lifetime Residential

With 10 popular wood looks and realistic embossed surface, AVA[®] RYSE[™] provides superior beauty and performance in 6" x 48" glue-down planks with a straight edge. AVA[®]'s proprietary AMP Advantage coating makes RYSE[™] the perfect solution for your heavy-traffic areas, including areas with heavy rolling loads. RYSE[™] is the ideal flooring for Corporate offices, Retail spaces, Hospitality and a variety of other commercial environments.



Tuscany Oak Snow 12 mil: TO001S-203K / 22 mil: TO001-2555K



Tuscany Oak Mist 12 mil: TO002S-203K / 22 mil: TO002-2555K



Tuscany Oak Medallion 12 mil: TO009S-203K / 22 mil: TO009-2555K



Tuscany Oak Peanut 12 mil: TO008S-203K / 22 mil: TO008-2555K



Peninsula Oak Plains 12 mil: PO004S-203K / 22 mil: PO004-2555K




Peninsula Oak Canyon 12 mil: PO002S-203K / 22 mil: PO002-2555K



Baltic Oak Tsupe 12 mil: BO002S-203K / 22 mil: BO002-2555K



Baltic Oak Suede 12 mil: BO003S-203K / 22 mil: BO003-2555K




Alpine Oak Khaki 12 mil: AO005S-203K / 22 mil: AO005-2555K



Alpine Oak Anchor 12 mil: AO009S-203K / 22 mil: AO009-2555K

AVA[®] REVV[®]



Samples available at **material bank** 

Specifications

- Sheet Vinyl
- Wear Layer: 22 mil (0.55 mm)
- Overall Thickness: 2.3 mm
- 100% Phthalate Free
- Warranty: 12-Year Heavy Commercial

Packaging

- Roll Size: 6.56' (2 M) x 65.6' (20 M)
- Square Yards/Roll: 47.84
- Weight: 322 lbs.

With 13 realistic wood patterns protected by a highly durable 22 mil wear layer, REVV[®] provides stability and ease of installation in a 2 M wide sheet flooring highly resistant to pressure and extreme temperatures. REVV[®]'s inherent resistance to expansion and contraction make it an excellent selection for Healthcare, Education, Retail and other applications where high traffic and heavy loads are an everyday affair. No-wax maintenance makes for easy upkeep while the low-gloss finish maintains its stylish appeal with no buffing.

Arlington	Kenton	Rawson
 Arlington Spice REAL0001	 Kenton Cinnamon REKT0001	 Rawson Bronze RERW0001
 Arlington Provincial REAL0002	 Kenton Espresso REKT0002	 Rawson Carob RERW0002
 Arlington Nickel REAL0003	 Kenton Tawny REKT0003	 Rawson Seal RERW0003
 Arlington Cadet REAL0004	 Kenton Applesauce REKT0004	 Rawson Beach RERW0004
 Arlington Cinder REAL0005		

AVA VEXX®



Samples available at **material bank**


Specifications

- Sheet Vinyl
- Wear Layer: 22 mil (0.55 mm)
- Overall Thickness: 2.3 mm
- 100% Phthalate Free
- Warranty: 12-Year Heavy Commercial

Packaging


- Roll Size: 6.56' (2 M) x 65.6' (20 M)
- Square Yards/Roll: 47.84
- Weight: 322 lbs.

With 3 organic patterns and 19 total colors, VEXX® combines aesthetic appeal with stability and ease of installation in a 2 M wide sheet flooring that is highly resistant to pressure and extreme temperatures. VEXX®'s highly durable 22 mil wear layer and inherent resistance to expansion and contraction make it an excellent selection for Healthcare, Education, Retail and other applications that experience high traffic and heavy loads. No-wax maintenance and no buffing makes for easy upkeep and a fresh appearance throughout years of reliable performance.



AVA[®] VRSE[®]




Samples available at **material bank** 


Specifications

- Loose Lay
- Wear Layer: 22 mil (0.55 mm)
- Overall Thickness: 5.0 mm
- Size: 9.84" x 39.37" (250 mm x 1000 mm)
- 100% Phthalate Free
- Reach Compliant
- Warranty: 20-Year Heavy Commercial & Lifetime Residential

The multi-directional look of VRSE[®] offers unique design and installation flexibility compared to your average linear patterns. While the typical linear pattern gets lost when tiles are installed in the same direction, the pattern within VRSE[®] tiles gives two different looks to create striking designs that stand out and get noticed for Workplace/Corporate, Hospitality and Retail environments.



AVA[®] RYME[®]

Samples available at **material bank** 

Specifications

- Loose Lay
- Wear Layer: 22 mil (0.55 mm)
- Overall Thickness: 5.0 mm
- Size, Peninsula / Alpine / Tuscany: 9" x 48" (228 mm x 1219 mm)
- Size, Béton: 39.37" x 39.37" (1000 mm x 1000 mm)
- 100% Phthalate Free
- Reach Compliant
- Warranty: 20-Year Commercial & Lifetime Residential

Featuring 16 popular colors to complement other AVA[®] collections, AVA[®] RYME[®] offers large 9" x 48" loose-lay planks in contemporary and rustic classic oak designs, plus four unique concrete designs in 39.37" x 39.37" tiles. Quick and easy to install with less floor prep, RYME[®] hides flooring imperfections better than standard glue down LVT.

Peninsula (9" x 48" / 228 mm x 1219 mm)


Straight Edge




Peninsula Oak Canyon
PO2D002L



Peninsula Oak Summit
PO2D001L



Peninsula Oak Panhandle
PO2D006L



Peninsula Oak Timber
PO2D005L

Alpine (9" x 48" / 228 mm x 1219 mm)

Microbevel Edge / Embossed in Register




Alpine Oak Anchor
AO2D009L



Alpine Oak Prestige
AO2D008L



Alpine Oak Khaki
AO2D005L



Alpine Oak Syrup
AO2D007L

Tuscany (9" x 48" / 228 mm x 1219 mm)

Microbevel Edge / Embossed in Register




Tuscany Oak Peanut
TO2D008L



Tuscany Oak Snow
TO2D001L




Tuscany Oak Mist
TO2D002L




Tuscany Oak Carafe
TO2D007L

Béton (39.37" x 39.37" / 1000 mm x 1000 mm)

Straight Edge




Béton Pearl
BN001L



Béton Iron
BN002L




Béton Steel
BN003L



Béton Harbor
BN004L

AVA® FAVE®




Samples available at **material bank** 

Specifications

- HDC Clic • MADE IN USA
- Thickness/Wear Layer:
5.2 mm 22mil (.55) – Standard
5.0 mm 12mil (.30) – Special Order
- Size: 5.75" x 47.75" (146 mm x 1212 mm)
- Microbevel Edge • Attached Acoustical Backing
- Waterproof
- 100% Phthalate Free
- Warranty: 15-Year Commercial (22mil),
10-Year Commercial (12mil) & Lifetime Residential



Alpine Oak Khaki 12 mil: AO005S-0503U / 22 mil: AO005S-5055U



Alpine Oak Anchor 12 mil: AO009S-503U / 22 mil: AO009S-5255U



Tuscany Oak Snow 12 mil: TO001S-0503U / 22 mil: TO001S-5055U



Tuscany Oak Mist 12 mil: TO002S-0503U / 22 mil: TO002S-5055U



Tuscany Oak Medallion 12 mil: TO009S-0503U / 22 mil: TO009S-5055U



Tuscany Oak Peanut 12 mil: TO008S-0503U / 22 mil: TO008S-5055U



Peninsula Oak Canyon 12 mil: PO002S-503U / 22 mil: PO002S-5255U



Peninsula Oak Plains 12 mil: PO004S-503U / 22 mil: PO004-5255U



Baltic Oak Taupe 12 mil: BO002S-0503U / 22 mil: BO002S-5055U




Baltic Oak Suede 12 mil: BO003S-503U / 22 mil: BO003S-5055U

Bringing the best and most popular designs back for another run, AVA® FAVE® takes your 10 favorite AVA® designs and brings a MADE IN THE USA impact. FAVE®'s High Density Core (HDC) provide a true, waterproof rigid-core performance in large 5.75" x 47.75" clic planks with attached acoustical backing that provides superior sound control performance. FAVE® is the ideal flooring for single family homes, multi-family units, hospitality rooms and amenity spaces, as well as many other applications where design and durability are the focus.

AVA® 2FAVE™



Samples available at **material bank** 

Specifications


- HDC Clic • MADE IN USA
- Wear Layer: 12mil (.30 mm) or 22 mil (.55 mm)
- Overall Thickness: 5.0 mm
- Size: 5.75" x 47.75" (146 mm x 1212 mm)
- Microbevel Edge • Attached Acoustical Backing
- Waterproof
- 100% Phthalate Free
- Warranty: 15-Year Commercial (22mil), 10-Year Commercial (12mil) & Lifetime Residential



With three new colors, AVA® 2FAVE™ brings a MADE IN THE USA impact to 10 favorite AVA® designs. 2FAVE™'s High Density Core (HDC) provide a true, waterproof rigid-core performance in large 5.75" x 47.75" clic planks with attached acoustical backing that provides superior sound control performance. AVA®'s proprietary AMP Advantage coating makes 2FAVE™ the perfect solution for your heavy-traffic areas that need durability and ease of maintenance.



Alpine Oak Khaki 12 mil: AO005S-0503U / 22 mil: AO005S-5055U



European Walnut Chocolate 12 mil: EW001S-0503U / 22 mil: EW001S-5055U



Tuscany Oak Snow 12 mil: TO001S-0503U / 22 mil: TO001S-5055U



Tuscany Oak Mist 12 mil: TO002S-0503U / 22 mil: TO002S-5055U



Tuscany Oak Medallion 12 mil: TO009S-0503U / 22 mil: TO009S-5055U



Tuscany Oak Peanut 12 mil: TO008S-0503U / 22 mil: TO008S-5055U



Alabaster Oak Sierra 12 mil: AB001S-0503U / 22 mil: AB001S-5055U



English Oak Veil 12 mil: EO002S-0503U / 22 mil: EO002S-5055U



Baltic Oak Taupe 12 mil: BO002S-0503U / 22 mil: BO002S-5055U



Baltic Oak Suede 12 mil: BO003S-503U / 22 mil: BO003S-5055U

AVA RSRV




Specifications

- Wear Layer: 22 mil (0.55 mm)
- Overall Thickness: 6.0 mm
- IXPE acoustical backing
- 100% Phthalate Free
- Reach Compliant
- Assure Certified
- Warranty: 15-Year Light Commercial & Lifetime Residential



Member of U.S. Commercial Enterprises




With three unique wood patterns sharing six common base colors, RSRV® provides a variety of registered embossed plank styles to mix and match, along with four concrete patterned tiles. Choose from wood grain collections that include the fine lines and bold size of Kyoto, the rugged aged look of Komma and the pure grains of Washed. The robust style, high density core (HDC) clic construction and IXPE acoustical backing makes RSRV® a perfect selection for busy Hospitality and Retail locations.

AVA SMPL®


Samples available at **material bank**

Specifications

- Wear Layer: 20 mil (0.5 mm)
- Overall Thickness: 6.5 mm
- Available as Special Order: 6.0 mm 12 mil
- Size: 6" x 48" (152 mm x 1219 mm)
- 100% Phthalate Free
- Reach Compliant
- Warranty: 15-Year Light Commercial & Lifetime Residential



With its HPC (High Performance Core) clic construction, SMPL® is a rigid, floating floor system featuring a unique drop-lock mechanism for quick and easy installation with minimal subfloor preparation. A waterproof core, durable wear layer and our proprietary AMP polyurethane coating make it an ideal flooring product for multi-family units, condominiums, corporate offices and a variety of other residential and light commercial environments. SMPL® includes an attached cork backing, which greatly improves its sound reduction characteristics without the use of a separate sound control product.

Samples available at **material
bank** 

AVA® avaflor.com

With worldwide sales offices and distribution partners, AVA® is a leader in the design and manufacturing of innovative and sustainable resilient flooring. AVA® has developed a diverse range of designs and products that have won numerous awards and are recognized by the industry as setting the benchmark in LVT for a variety of markets.